

**Amendments to the Claims:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**Listing of Claims:**

50. (Original) A drug-oligomer conjugate having the following general formula:



wherein

D is insulin or a functional equivalent thereof;

H is a PEG polymer having from 1 to 10 PEG units;

H' is a hydrophilic moiety;

L is a lipophilic moiety;

the H-H' bond is hydrolyzable;

q is a number from 1 to the maximum number of covalent bonding sites at which H' can form a bond with H;

o is a number from 1 to the maximum number of covalent bonding sites at which L can form a bond with H'; and

p is a number from 1 to the maximum number of covalent bonding sites at which  $[(H-H'_q)-L_o]$  can form a bond with D.

51. (Original) The drug-oligomer conjugate of Claim 50, wherein H, H' and L are selected and arranged such that the drug-oligomer conjugate is amphiphilic.

52. (Original) The drug-oligomer conjugate of Claim 50, wherein H is a PEG polymer having from 2 to 8 PEG units.

53. (Original) The drug-oligomer conjugate of Claim 50, wherein H is a PEG polymer having from 2 to 7 PEG units.

54. (Original) The drug-oligomer conjugate of Claim 50, wherein H is a PEG polymer having 3 PEG units.

55. (Original) The drug-oligomer conjugate of Claim 50, wherein H is a PEG polymer having 4 PEG units.
56. (Original) The drug-oligomer conjugate of Claim 50, wherein H is a PEG polymer having 5 PEG units.
57. (Original) The drug-oligomer conjugate of Claim 50, wherein H is a PEG polymer having 6 PEG units.
58. (Original) The drug-oligomer conjugate of Claim 50, wherein H' is a hydrophilic moiety selected from the group consisting of straight or branched PEG polymers and sugars.
59. (Original) The drug-oligomer conjugate of Claim 50, wherein H' is a straight PEG polymer.
60. (Original) The drug-oligomer conjugate of Claim 59, wherein the PEG polymer has from 1 to 130 PEG units.
61. (Original) The drug-oligomer conjugate of Claim 59, wherein the PEG polymer has from 1 to 100 PEG units.
62. (Original) The drug-oligomer conjugate of Claim 50, wherein L is a lipophilic moiety selected from the group consisting of alkyl moieties, cholesterol, and fatty acid moieties.
63. (Original) The drug-oligomer conjugate of Claim 50, wherein L is an alkyl moiety.
64. (Original) The drug-oligomer conjugate of Claim 50, wherein L is cholesterol.
65. (Original) The drug-oligomer conjugate of Claim 50, wherein L is a fatty acid moiety.
66. (Original) The drug-oligomer conjugate of Claim 65, wherein the fatty acid moiety has between 2 and 28 carbon atoms.

67. (Original) The drug-oligomer conjugate of Claim 65, wherein the fatty acid moiety has between 12 and 22 carbon atoms.
68. (Original) The drug-oligomer conjugate of Claim 50, wherein D is insulin or insulin lispro.
69. (Original) The drug-oligomer conjugate of Claim 50, wherein the H'-L bond is non-hydrolyzable.
70. (Original) The drug-oligomer conjugate of claim 50, wherein H' and L are present as a component H'-L having the formula  $\text{CH}_3(\text{CH}_2)_n(\text{OC}_2\text{H}_4)_m\text{OH}$  (Formula 3), wherein  $n = 3$  to 25 and  $m = 1$  to 7.
71. (Original) The drug-oligomer conjugate of claim 50, wherein H' and L are present as a component H'-L having the formula  $\text{CH}_3(\text{CH}_2)_n(\text{OC}_2\text{H}_4)_m\text{OCH}_2\text{CO}_2\text{H}$  (Formula 4), wherein  $n = 3$  to 25 and  $m = 1$  to 6.
72. (Original) The drug-oligomer conjugate of claim 50, wherein H' and L are present as a component H'-L having the formula  $\text{R}-(\text{OC}_2\text{H}_4)_m\text{CH}_2\text{CO}_2\text{H}$  (Formula 6), wherein  $m = 0$  to 5 and R = cholesterol or adamantane
73. Cancelled.
74. (Original) The drug-oligomer conjugate of claim 50, wherein H' and L are present as a component H'-L having the formula  $\text{CH}_3(\text{CH}_2-\text{CH}=\text{CH})_6(\text{CH}_2)_2\text{CH}_2(\text{OC}_2\text{H}_4)_m\text{OH}$  (Formula 8), wherein  $m = 1$  to 7.
75. (Original) The drug-oligomer conjugate of claim 50, wherein H' and L are present as a component H'-L having the formula  $\text{CH}_3(\text{CH}_2-\text{CH}=\text{CH})_6(\text{CH}_2)_2\text{CX}(\text{OC}_2\text{H}_4)_m\text{OH}$  (Formula 9), wherein  $m = 1$  to 7.